











# **Autogramm: Simultaneous development of treebanks** and corpus-driven grammars


Santiago Herrera, Kim Gerdes, Bruno Guillaume, Sylvain Kahane

## **INTRODUCTION**

**AUTOGRAMM IS AN ONGOING RESEARCH** PROJECT THAT AIMS TO CONTRIBUTE TO LANGUAGE DOCUMENTATION AND THEORETICAL LINGUISTICS, FROM A CROSS-LINGUISTIC AND QUANTITATIVE PERSPECTIVE.

Cross-linguistic studies require highquality, diverse, and comparable corpora that are rich enough to extract precise grammatical observations to enable contrastive and typological studies.

Autogramm addresses these issues by developing simultaneously:



The project brings together a heterogenous team of field linguists, typologists, corpus annotation and formal grammar specialists, and NLP experts.

# **PROCESSING PIPELINE**


- 1. Transform the source (usually interlinear glosses) into a pretreebank.
- 2. Syntactic annotation can be done at the level of words or morphs
- 3. We use ArboratorGrew's bootstrapping system for automatic annotation
- 4. In parallel, we build quantitative and corpus-driven grammars



Better suited for extracting surface rules, especially word order rules.



SUD <-> UD conversion favors treebank homogenization and error mining.



Treebanks for Beja and Zaar are already in UD database

## **NEW TREEBANKS**

#### **MORE THAN 15 TREEBANKS** ARE UNDER DEVELOPMENT

- Amdo Tibetan (Sinotibetan)
- Arabic dialects (Moroccan, Egyptian, Tunisian; Semitic)
- Bambara (Manding)
- Breton (Indo-European)
- Gbaya (Ubanguian)
- Haitian (Creole)
- Hausa (Chadic)
- Salar (Turkic) Sungwadia (Austronesian)
- Tuwari (Papua)
- Vietnamese (Austrasiatic)
- Yali (Papua)
- Ye'kwana (Carib)

#### GRAMMAR EXTRACTION



Linguistic annotation presupposes some knowledge of the grammar

Annotation force the reexamination of the grammatical knowledge



Their simultaneous development could help to reduce working time and improve the quality of both resources

#### **CORPUS-DRIVEN GRAMMARS**

## Quantitative information

• Frequency and other continuous measures

# Observations ranked by relevance

To understand the importance of each properties extracted

## Variable fine-grained descriptions

- Grammars of different sizes
- Information encoded at different levels

**Combinatorial explosion** Incongruent results due to annotation **Unbalanced samples** 

# QUANTITATIVE TYPOLOGY

Compare these quantitative grammatical observations across languages and corpora

- To know exactly what makes one language different from another
- To calculate the degree to which the same observation differs between languages



Typological database

projet anr

abstract

For a full list of members, future events and tools in development, visit https://autogramm.github.io/